






"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-1 	T	0.3 ~ 5.0 m/m 0.012" ~ 0.200"	SIZE: T × W		
	W	0.8 ~ 10.0 m/m 0.032" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-2 	T	1.0 ~ 6.0 m/m 0.040" ~ 0.240"	SIZE: T × W		
	W	3.0 ~ 12.0 m/m 0.120" ~ 0.480"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-3 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W		
	W	5.0 ~ 12.0 m/m 0.200" ~ 0.480"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-4 	T	1.5 ~ 4.0 m/m 0.060" ~ 0.160"	SIZE: T × W		
	W	3.0 ~ 9.0 m/m 0.120" ~ 0.360"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-5 	T	2.5 ~ 6.0 m/m 0.100" ~ 0.240"	SIZE: T × W		
	W	3.0 ~ 7.0 m/m 0.120" ~ 0.280"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3 Ft.-12 Ft. (1 Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH	
Y-6 	T	0.15 ~ 8.0 m/m 0.006" ~ 0.320"	SIZE: T × W	
	W	0.7 ~ 20.0 m/m 0.028" ~ 0.800"		
	TOLERANCES	T ± 0.03 m/m ± 0.0012" W ± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-7 	T	0.15 ~ 6.0 m/m 0.006" ~ 0.240"	SIZE: T × W	
	W	0.7 ~ 20.0 m/m 0.028" ~ 0.800"		
	TOLERANCES	T ± 0.03 m/m ± 0.0012" W ± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-8 	T	3.5 ~ 5.0 m/m 0.140" ~ 0.200"	SIZE: T × W	
	W	5.0 ~ 10.0 m/m 0.200" ~ 0.400"		
	TOLERANCES	T ± 0.03 m/m ± 0.0012" W ± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-9 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W	
	W	3.0 ~ 13.0 m/m 0.120" ~ 0.520"		
	TOLERANCES	T ± 0.03 m/m ± 0.0012" W ± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-10 	T	3.0 ~ 5.0 m/m 0.120" ~ 0.200"	SIZE: T × W	
	W	8.0 ~ 13.0 m/m 0.320" ~ 0.520"		
	TOLERANCES	T ± 0.03 m/m ± 0.0012" W ± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260Lbs.(15Kgs.-120Kgs.) Rod in Cut Length: 3Ft.-12Ft. (1Meter-4Meters)
Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-11 	T	1.0 ~ 5.0 m/m 0.040" ~ 0.200"	SIZE: T × W		
	W	3.0 ~ 15.0 m/m 0.120" ~ 0.600"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-12 	T	3.0 ~ 7.0 m/m 0.120" ~ 0.280"	SIZE: T × W		
	W	6.0 ~ 10.0 m/m 0.240" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-13 	T	3.0 ~ 10.0 m/m 0.120" ~ 0.400"	SIZE: T × W		
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-14 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	4.0 ~ 10.0 m/m 0.160" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-15 	T	1.0 ~ 8.0 m/m 0.040" ~ 0.320"	SIZE: T × W		
	W	2.0 ~ 10.0 m/m 0.080" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30 Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3 Ft.-12 Ft. (1 Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

“Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations”






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-16 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	3.0 ~ 9.0 m/m 0.120" ~ 0.360"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-17 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	4.0 ~ 10.0 m/m 0.160" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-18 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-19 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-20 	T	0.6 ~ 4.0 m/m 0.024" ~ 0.160"	SIZE: T × W		
	W	1.8 ~ 8.0 m/m 0.072" ~ 0.320"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260Lbs.(15Kgs.-120Kgs.) Rod in Cut Length: 3Ft.-12Ft. (1Meter-4Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-21 	T	0.6 ~ 4.0 m/m 0.024" ~ 0.160"	SIZE: T × W		
	W	2.0 ~ 8.0 m/m 0.080" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-22 	T	1.0 ~ 5.0 m/m 0.040" ~ 0.200"	SIZE: T × W		
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-23 	T	1.0 ~ 4.0 m/m 0.040" ~ 0.160"	SIZE: T × W		
	W	2.0 ~ 8.0 m/m 0.080" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-24 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W		
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-25 	T	3.0 ~ 5.0 m/m 0.120" ~ 0.200"	SIZE: T × W		
	W	6.0 ~ 12.0 m/m 0.240" ~ 0.480"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30 Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3 Ft.-12 Ft. (1 Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (1/2 Hard, 3/4 Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-26 	T	3.0 ~ 5.0 m/m 0.120" ~ 0.200"	SIZE: T	×W	
	W	2.0 ~ 7.0 m/m 0.080" ~ 0.280"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-27 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T	×W	
	W	4.0 ~ 8.0 m/m 0.160" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-28 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T	×W	
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-29 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T	×W	
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-30 	T	1.0 ~ 5.0 m/m 0.040" ~ 0.200"	SIZE: T	×W	
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30 Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3 Ft.-12 Ft. (1 Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (1/4 Hard, 1/2 Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-31 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W		
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-32 	T	3.0 ~ 5.0 m/m 0.120" ~ 0.200"	SIZE: T × W		
	W	4.0 ~ 10.0 m/m 0.160" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-33 	T	3.0 ~ 7.0 m/m 0.120" ~ 0.280"	SIZE: T × W		
	W	3.0 ~ 9.0 m/m 0.120" ~ 0.360"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-34 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W		
	W	3.0 ~ 10.0 m/m 0.120" ~ 0.400"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.1 m/m ± 0.004"	STEEL TYPE: AISI	FINISH:
Y-35 	T	3.0 ~ 6.0 m/m 0.120" ~ 0.240"	SIZE: T × W		
	W	8.0 ~ 15.0 m/m 0.320" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30 Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3 Ft.-12 Ft. (1 Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH	
Y-36 	T	3.0 ~ 8.0 m/m 0.120" ~ 0.320"	SIZE: T × W	
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"		
	TOLERANCES	T $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$ W $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$	STEEL TYPE: AISI	FINISH:
Y-37 	T	3.0 ~ 6.0 m/m 0.120" ~ 0.240"	SIZE: T × W	
	W	8.0 ~ 15.0 m/m 0.320" ~ 0.600"		
	TOLERANCES	T $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$ W $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$	STEEL TYPE: AISI	FINISH:
Y-38 	T	3.0 ~ 8.0 m/m 0.120" ~ 0.320"	SIZE: T × W	
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"		
	TOLERANCES	T $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$ W $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$	STEEL TYPE: AISI	FINISH:
Y-39 	T	3.0 ~ 6.0 m/m 0.120" ~ 0.240"	SIZE: T × W	
	W	8.0 ~ 15.0 m/m 0.320" ~ 0.600"		
	TOLERANCES	T $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$ W $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$	STEEL TYPE: AISI	FINISH:
Y-40 	T	3.0 ~ 8.0 m/m 0.120" ~ 0.320"	SIZE: T × W	
	W	3.0 ~ 8.0 m/m 0.120" ~ 0.320"		
	TOLERANCES	T $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$ W $\pm \begin{matrix} 0.05 \text{ m/m} \\ 0.002" \end{matrix}$	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260Lbs.(15Kgs.-120Kgs.) Rod in Cut Length: 3Ft.-12Ft. (1Meter-4 Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"






ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-41 	T	3.0 ~ 6.0 m/m 0.120" ~ 0.240"	SIZE: T × W		
	W	6.0 ~ 15.0 m/m 0.240" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-42 	T	2.0 ~ 5.0 m/m 0.080" ~ 0.200"	SIZE: T × W		
	W	6.0 ~ 15.0 m/m 0.240" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-43 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	4.0 ~ 15.0 m/m 0.160" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-44 	T	2.0 ~ 6.0 m/m 0.080" ~ 0.240"	SIZE: T × W		
	W	4.0 ~ 15.0 m/m 0.160" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:
Y-45 	T	3.0 ~ 7.0 m/m 0.120" ~ 0.280"	SIZE: T × W		
	W	3.0 ~ 7.0 m/m 0.120" ~ 0.280"			
	TOLERANCES	T	± 0.05 m/m ± 0.002"		
		W	± 0.05 m/m ± 0.002"	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260Lbs.(15Kgs.-120Kgs.) Rod in Cut Length: 3Ft.-12Ft. (1Meter-4Meters)
 Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (¼ Hard, ½ Hard, etc.)

"Stainless Steel Wires & Bars in Non-standard Cross-sectional Shapes by Cold Roll Forming Process...Some Examples & Illustrations"

ステンレス異形線・直棒・冷間ロール成形による断面形状寸法例

CROSS-SECTIONS	SIZE RANGE & TOLERANCES		STEEL TYPE · SIZE · FINISH		
Y-46 	T	1.5 ~ 6.0 m/m 0.060" ~ 0.240"	SIZE: T × W		
	W	5.0 ~ 15.0 m/m 0.200" ~ 0.600"			
	TOLERANCES	T	± 0.05 m/m ± 0.002 "		
		W	± 0.05 m/m ± 0.002 "	STEEL TYPE: AISI	FINISH:
Y-47 	T	3.0 ~ 7.0 m/m 0.120" ~ 0.280"	SIZE: T × W		
	W	3.0 ~ 7.0 m/m 0.120" ~ 0.280"			
	TOLERANCES	T	± 0.05 m/m ± 0.002 "		
		W	± 0.05 m/m ± 0.002 "	STEEL TYPE: AISI	FINISH:
Y-48 	T	0.3 ~ 2.0 m/m 0.012" ~ 0.080"	SIZE: T × W		
	W	1.0 ~ 6.0 m/m 0.040" ~ 0.240"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012 "		
		W	± 0.05 m/m ± 0.002 "	STEEL TYPE: AISI	FINISH:
Y-49 	T	1.0 ~ 4.0 m/m 0.040" ~ 0.160"	SIZE: T × W		
	W	3.0 ~ 7.0 m/m 0.120" ~ 0.280"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012 "		
		W	± 0.05 m/m ± 0.002 "	STEEL TYPE: AISI	FINISH:
Y-50 	T	1.0 ~ 4.0 m/m 0.040" ~ 0.160"	SIZE: T × W		
	W	3.0 ~ 7.0 m/m 0.120" ~ 0.280"			
	TOLERANCES	T	± 0.03 m/m ± 0.0012 "		
		W	± 0.05 m/m ± 0.002 "	STEEL TYPE: AISI	FINISH:

Remarks : — Length.....Wire: Coil Weight 30Lbs.-260 Lbs.(15 Kgs.-120 Kgs.) Rod in Cut Length: 3Ft.-12Ft. (1 Meter-4 Meters)
Finish.....(1) Annealed & Pickled (AP) (2) Bright Annealed (BA) (3) Hard Temper (1/4 Hard, 1/2 Hard, etc.)